# INTERNATIONAL STANDARD

ISO 9660

First edition
1988-04-15

Corrected and reprinted
1988-09-01

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION
ORGANISATION INTERNATIONALE DE NORMALISATION
МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ

## Information processing — Volume and file structure of CD-ROM for information interchange

*Traitement de l'information — Structure de volume et de fichier des disques optiques compacts à mémoire fixe (CD-ROM) destinés à l'échange d'information*

SIST Preview
(https://ecommerce.sist.si)

ISO 9660:1988
https://ecommerce.sist.si/catalog/standards/sist/5302c5cb-c5a2-48db-8dcf-0dc1f17edb5b/iso-9660-1988

Reference number
ISO 9660 : 1988 (E)

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council. They are approved in accordance with ISO procedures requiring at least 75 % approval by the member bodies voting.

SIST Preview
(https://ecommerce.sist.si)

International Standard ISO 9660 was prepared by the European Computer Manufacturers Association (as Standard ECMA-119) and was adopted, under a special "fast-track procedure", by Technical Committee ISO/TC 97, *Information processing systems* in parallel with its approval by the ISO member bodies.

ISO 9660:1988
https://ecommerce.sist.si/catalog/standards/sist/5202c5cb-c5a2-48db-8dcf-0dc1f17edb5b/iso-9660-1988

Users should note that all International Standards undergo revision from time to time and that any reference made herein to any other International Standard implies its latest edition, unless otherwise stated.

© International Organization for Standardization, 1988 •

Printed in Switzerland

# Contents

Page

**Section one : General**

1 Scope and field of application ..... 1

2 Conformance ..... 1

2.1 Conformance of a CD-ROM ..... 1

2.2 Conformance of an information processing system ..... 1

3 References ..... 1

4 Definitions ..... 1

4.1 application program ..... 1

4.2 byte ..... 1

4.3 Data Field of a sector ..... 2

4.4 data preparer ..... 2

4.5 descriptor ..... 2

4.6 Extent ..... 2

4.7 file ..... 2

4.8 File Section ..... 2

4.9 implementation ..... 2

4.10 Logical Block ..... 2

4.11 originating system ..... 2

4.12 receiving system ..... 2

4.13 record ..... 2

4.14 sector ..... 2

4.15 standard for recording ..... 2

4.16 user ..... 2

4.17 volume ..... 2

4.18 Volume Set ..... 2

SIST Preview
(https://ecommerce.sist.si)
https://ecommerce.sist.si/catalog/standards/sist/5302e5db-e5a2-48db-8dcf-0de1f17edb5b/iso-9660-1988

Page

5 Notation ..... 2

5.1 Decimal and hexadecimal notations ..... 2

5.2 Other notation ..... 2

**Section two : Requirements for the medium**

6 Volume structure ..... 3

6.1 Arrangement of data on a CD-ROM ..... 3

6.1.1 Physical Addresses ..... 3

6.1.2 Logical Sector ..... 3

6.1.3 Volume Space ..... 3

6.2 Arrangement of the Volume Space ..... 3

6.2.1 System Area and Data Area ..... 3

6.2.2 Logical Block ..... 3

6.3 Arrangement of the Data Area ..... 3

6.4 Arrangement of Extents ..... 4

6.4.1 Extent ..... 4

6.4.2 Mode of recording a File Section ..... 4

6.4.3 Interleaved mode ..... 4

6.4.4 Non-interleaved mode ..... 4

6.4.5 Data length of a File Section ..... 5

6.4.6 Relation of Extended Attribute Record to File Section ..... 5

6.4.7 Recording of a Volume Partition ..... 5

6.5 File structure ..... 5

6.5.1 Relation to File Sections ..... 5

6.5.2 Numbering of bytes in a file ..... 5

6.5.3 Contents of a file ..... 5

6.5.4 Associated File ..... 6

6.6 Volume Set ..... 6

6.7 Volume Descriptors ..... 6

6.7.1 Volume Descriptor Set ..... 6

6.8 Directory structure ..... 6

6.8.1 Directory ..... 6

6.8.2 Directory Hierarchy ..... 7

6.8.3 Relation of Directory Hierarchies ..... 7

SIST Preview
(https://ecommerce.sist.si)
ISO 9660:1988
https://ecommerce.sist.si/catalog/standards/sist/5302e5cb-c5a2-48db-8dcf-0dc1f17edb5b/iso-9660-1988

Page


6.9 Path Table ... 8

6.9.1 Order of Path Table Records ... 8

6.9.2 Path Table Group ... 8

6.9.3 Recorded Occurrences of the Path Table ... 8

6.9.4 Consistency of Path Tables between volumes of a Volume Group ... 8

6.10 Record structure ... 8

6.10.1 Characteristics ... 8

6.10.2 Measured Data Units (MDU) ... 9

6.10.3 Fixed-length records ... 9

6.10.4 Variable-length records ... 9

7 Recording of descriptor fields ... 9

7.1 8-bit numerical values ... 9

7.1.1 8-bit unsigned numerical values ... 9

7.1.2 8-bit signed numerical values ... 9

7.2 16-bit numerical value ... 9

7.2.1 Least significant byte first ... 9

7.2.2 Most significant byte first ... 9

7.2.3 Both-byte orders ... 9

7.3 32-bit numerical values ... 9

7.3.1 Least significant byte first ... 10

7.3.2 Most significant byte first ... 10

7.3.3 Both-byte orders ... 10

7.4 Character sets and coding ... 10

7.4.1 d-characters and a-characters ... 10

7.4.2 c-characters ... 10

7.4.2.1 a1-characters ... 10

7.4.2.2 d1-characters ... 10

7.4.3 Separators ... 10

7.4.4 Use of characters in descriptor fields ... 10

7.4.5 Justification of characters ... 10

7.5 File Identifier ... 10

7.5.1 File Identifier format ... 10

7.5.2 File Identifier length ... 11


SIST Preview
(https://ecommerce.sist.si)
ISO 9660:1988
https://ecommerce.sist.si/catalog/standards/sist/5302e5cb-c5a2-48db-8dcf-0dc1f17edb5b/iso-9660-1988

Page

7.6 Directory Identifier ..... 11

7.6.1 Directory Identifier format ..... 11

7.6.2 Reserved Directory Identifiers ..... 11

7.6.3 Directory Identifier length ..... 11

8 Volume Descriptors ..... 11

8.1 Format of a Volume Descriptor ..... 11

8.1.1 Volume Descriptor Type (BP 1) ..... 11

8.1.2 Standard Identifier (BP 2 to 6) ..... 11

8.1.3 Volume Descriptor Version (BP 7) ..... 11

8.1.4 Depends on Volume Descriptor Type (BP 8 to 2 048) ..... 11

8.2 Boot Record ..... 12

8.2.1 Volume Descriptor Type (BP 1) ..... 12

8.2.2 Standard Identifier (BP 2 to 6) ..... 12

8.2.3 Volume Descriptor Version (BP 7) ..... 12

8.2.4 Boot System Identifier (BP 8 to 39) ..... 12

8.2.5 Boot Identifier (BP 40 to 71) ..... 12

8.2.6 Boot System Use (BP 72 to 2 048) ..... 12

8.3 Volume Descriptor Set Terminator ..... 12

8.3.1 Volume Descriptor Type (BP 1) ..... 12

8.3.2 Standard Identifier (BP 2 to 6) ..... 12

8.3.3 Volume Descriptor Version (BP 7) ..... 12

8.3.4 Reserved for future standardization (BP 8 to 2 048) ..... 12

8.4 Primary Volume Descriptor ..... 12

8.4.1 Volume Descriptor type (BP 1) ..... 12

8.4.2 Standard Identifier (BP 2 to 6) ..... 13

8.4.3 Volume Descriptor Version (BP 7) ..... 13

8.4.4 Unused Field (BP 8) ..... 13

8.4.5 System Identifier (BP 9 to 40) ..... 13

8.4.6 Volume Identifier (BP 41 to 72) ..... 13

8.4.7 Unused Field (BP 73 to 80) ..... 13

8.4.8 Volume Space Size (BP 81 to 88) ..... 13

8.4.9 Unused Field (BP 89 to 120) ..... 14

SIST Preview
(https://ecommerce.sist.si)
ISO 9660:1988
https://ecommerce.sist.si/catalog/standards/sist/3502c9c6-c9a2-48db-8dcf-0dc1f17edb5b/iso-9660-1988

Page

8.4.10 Volume Set Size (BP 121 to 124) ..... 14

8.4.11 Volume Sequence Number (BP 125 to 128) ..... 14

8.4.12 Logical Block Size (BP 129 to 132) ..... 14

8.4.13 Path Table Size (BP 133 to 140) ..... 14

8.4.14 Location of Occurrence of Type L Path Table (BP 141 to 144) ... 14

8.4.15 Location of Optional Occurrence of Type L Path Table (BP 145 to 148) ..... 14

8.4.16 Location of Occurrence of Type M Path Table (BP 149 to 152) ... 14

8.4.17 Location of Optional Occurrence of Type M Path Table (BP 153 to 156) ..... 14

8.4.18 Directory Record for Root Directory (BP 157 to 190) ..... 14

8.4.19 Volume Set Identifier (BP 191 to 318) ..... 14

8.4.20 Publisher Identifier (BP 319 to 446) ..... 14

8.4.21 Data Preparer Identifier (BP 447 to 574) ..... 14

8.4.22 Application Identifier (BP 575 to 702) ..... 15

8.4.23 Copyright File Identifier (BP 703 to 739) ..... 15

8.4.24 Abstract File Identifier (BP 740 to 776) ..... 15

8.4.25 Bibliographic File Identifier (BP 777 to 813) ..... 15

8.4.26 Volume Creation Date and Time (BP 814 to 830) ..... 15

8.4.27 Volume Modification Date and Time (BP 831 to 847) ..... 15

8.4.28 Volume Expiration Date and Time (BP 848 to 864) ..... 16

8.4.29 Volume Effective Date and Time (BP 865 to 881) ..... 16

8.4.30 File Structure Version (BP 882) ..... 16

8.4.31 Reserved for future standardization (BP 883) ..... 16

8.4.32 Application Use (BP 884 to 1 395) ..... 16

8.4.33 Reserved for future standardization (BP 1 396 to 2 048) ..... 16

8.5 Supplementary Volume Descriptor ..... 16

8.5.1 Volume Descriptor Type (BP 1) ..... 17

8.5.2 Volume Descriptor Version (BP 7) ..... 17

8.5.3 Volume Flags (BP 8) ..... 17

8.5.4 System Identifier (BP 9 to 40) ..... 17

8.5.5 Volume Identifier (BP 41 to 72) ..... 17

8.5.6 Escape Sequences (BP 89 to 120) ..... 17

SIST Preview
(https://ecommerce.sist.si)
ISO 9660:1988
https://ecommerce.sist.si/catalog/standards/sist/5302c5cb-c5a2-48db-8dcf-0dc1f17edb5b/iso-9660-1988

Page

8.5.7 Path Table Size (BP 133 to 140) ... 17

8.5.8 Location of Occurrence of Type L Path Table (BP 141 to 144) ... 17

8.5.9 Location of Optional Occurrence of Type L Path Table (BP 145 to 148) ... 17

8.5.10 Location of Occurrence of Type M Path Table (BP 149 to 152) ... 17

8.5.11 Location of Optional Occurrence of Type M Path Table (BP 153 to 156) ... 18

8.5.12 Directory Record for Root Directory (BP 157 to 190) ... 18

8.5.13 Volume Set Identifier (BP 191 to 318) ... 18

8.5.14 Publisher Identifier (BP 319 to 446) ... 18

8.5.15 Data Preparer Identifier (BP 447 to 574) ... 18

8.5.16 Application Identifier (BP 575 to 702) ... 18

8.5.17 Copyright File Identifier (BP 703 to 739) ... 18

8.5.18 Abstract File Identifier (BP 740 to 776) ... 18

8.5.19 Bibliographic File Identifier (BP 777 to 813) ... 18

8.5.20 Application Use (BP 884 to 1 395) ... 18

8.6 Volume Partition Descriptor ... 18

8.6.1 Volume Descriptor Type (BP 1) ... 19

8.6.2 Standard Identifier (BP 2 to 6) ... 19

8.6.3 Volume Descriptor Version (BP 7) ... 19

8.6.4 Unused Field (BP 8) ... 19

8.6.5 System Identifier (BP 9 to 40) ... 19

8.6.6 Volume Partition Identifier (BP 41 to 72) ... 19

8.6.7 Volume Partition Location (BP 73 to 80) ... 19

8.6.8 Volume Partition Size (BP 81 to 88) ... 19

8.6.9 System Use (BP 89 to 2 048) ... 19

9 File and Directory Descriptors ... 19

9.1 Format of a Directory Record ... 19

9.1.1 Length of Directory Record (LEN_DR) (BP 1) ... 19

9.1.2 Extended Attribute Record Length (BP 2) ... 20

9.1.3 Location of Extent (BP 3 to 10) ... 20

9.1.4 Data Length (BP 11 to 18) ... 20

9.1.5 Recording Date and Time (BP 19 to 25) ... 20

9.1.6 File Flags (BP 26) ... 20

SIST Preview
(https://ecommerce.sist.si)
ISO 9660:1988
https://ecommerce.sist.si/catalog/standards/sist/5302e5c6-e5a2-48db-8dcf-0dc1f17edb5b/iso-9660-1988

Page

9.1.7 File Unit Size (BP 27) ..... 21

9.1.8 Interleave Gap Size (BP 28) ..... 21

9.1.9 Volume Sequence Number (BP 29 to 32) ..... 21

9.1.10 Length of File Identifier (LEN_FI) (BP 33) ..... 21

9.1.11 File Identifier [BP 34 to (33 + LEN_FI)] ..... 21

9.1.12 Padding Field [BP (34 + LEN_FI)] ..... 21

9.1.13 System Use [BP (LEN_DR-LEN_SU + 1) to LEN_DR] ..... 21

9.2 Consistency of File Attributes between Directory Records of a File ..... 21

9.3 Order of Directory Records ..... 21

9.4 Format of a Path Table Record ..... 22

9.4.1 Length of Directory Identifier (LEN_DI) (BP 1) ..... 22

9.4.2 Extended Attribute Record Length (BP 2) ..... 22

9.4.3 Location of Extent (BP 3 to 6) ..... 22

9.4.4 Parent Directory Number (BP 7 to 8) ..... 22

9.4.5 Directory Identifier [BP 9 to (8 + LEN_DI)] ..... 22

9.4.6 Padding Field [BP (9 + LEN_DI)] ..... 22

9.5 Format of an Extended Attribute Record ..... 23

9.5.1 Owner Identification (BP 1 to 4) ..... 23

9.5.2 Group Identification (BP 5 to 8) ..... 23

9.5.3 Permissions (BP 9 to 10) ..... 23

9.5.4 File Creation Date and Time (BP 11 to 27) ..... 24

9.5.5 File Modification Date and Time (BP 28 to 44) ..... 24

9.5.6 File Expiration Date and Time (BP 45 to 61) ..... 24

9.5.7 File Effective Date and Time (BP 62 to 78) ..... 24

9.5.8 Record Format (BP 79) ..... 24

9.5.9 Record Attributes (BP 80) ..... 25

9.5.10 Record Length (BP 81 to 84) ..... 25

9.5.11 System Identifier (BP 85 to 116) ..... 25

9.5.12 System Use (BP 117 to 180) ..... 25

9.5.13 Extended Attribute Record Version (BP 181) ..... 25

9.5.14 Length of Escape Sequences (BP 182) ..... 25

9.5.15 Reserved for future standardization (BP 183 to 246) ..... 25

SIST Preview
(https://ecommerce.sist.si)
ISO 9660:1988
https://ecommerce.sist.si/catalog/standards/sist/3502e9e0-e9a2-48db-8dcf-0dc1f17edb5b/iso-9660-1988

Page

9.5.16 Length of Application Use (BP 247 to 250) ..... 25

9.5.17 Application Use [BP 251 to (250 + LEN_AU)] ..... 25

9.5.18 Escape Sequences [BP(251 + LEN_AU)] to (250 + LEN_ESC + LEN_AU)] ..... 25

9.6 Consistency of File Attributes between Extended Attribute Records of a File ..... 25

10 Levels of interchange ..... 26

10.1 Level 1 ..... 26

10.2 Level 2 ..... 26

10.3 Level 3 ..... 26

**Section three : Requirements for systems**

11 Requirement for the description of systems ..... 27

12 Requirements for an originating system ..... 27

12.1 General ..... 27

12.2 Files ..... 27

12.3 Descriptors ..... 27

12.4 System Area ..... 28

13 Requirements for a receiving system ..... 28

13.1 General ..... 28

13.2 Files ..... 28

13.3 Descriptors ..... 28

13.4 Restrictions ..... 29

13.5 Levels of implementation ..... 29

13.5.1 Level 1 ..... 29

13.5.2 Level 2 ..... 29

Annex A : ISO 646 : International Reference Version (IRV) ..... 30

SIST Preview
(https://ecommerce.sist.si)
ISO 9660:1988
https://ecommerce.sist.si/catalog/standards/sist/53026e9c0-c9a2-46db-8dcf-0dc1f17edb5b/iso-9660-1988

# Information processing — Volume and file structure of CD-ROM for information interchange

## Section one : General

### 1 Scope and field of application

This International Standard specifies the volume and file structure of compact read only optical disks (CD-ROM) for the interchange of information between users of information processing systems.

This International Standard specifies

— the attributes of the volume and the descriptors recorded on it;

— the relationship among volumes of a volume set;

— the placement of files;

— the attributes of the files;

— record structures intended for use in the input or output data streams of an application program when such data streams are required to be organized as sets of records;

— three nested levels of medium interchange;

— two nested levels of implementation;

— requirements for the processes which are provided within information processing systems, to enable information to be interchanged between different systems, utilizing recorded CD-ROM as the medium of interchange; for this purpose it specifies the functions to be provided within systems which are intended to originate or receive CD-ROM which conform to this International Standard.

### 2 Conformance

#### 2.1 Conformance of a CD-ROM

A CD-ROM shall be in conformance with this International Standard when all information recorded on it conforms to the requirements of section two of this International Standard. A statement of conformance shall identify the lowest level of interchange to which the contents of the CD-ROM conform.

A prerequisite to such conformance is conformance of the CD-ROM to a standard for recording (see 4.15).

#### 2.2 Conformance of an information processing system

An information processing system shall be in conformance with this International Standard if it meets the requirements specified in sections two and three of this International Standard either for an originating system, or for a receiving system, or for both types of system. A statement of conformance shall identify which level of these requirements can be met by the system.

SIST Preview (https://ecommerce.standards.iso.com/standard/iso-9660-1988)

### 3 References

ISO 646, *Information processing — ISO 7-bit coded character set for information interchange.*

ISO 1539, *Programming languages — FORTRAN.*

ISO 2022, *Information processing — ISO 7-bit and 8-bit coded character sets — Code extension techniques.*

ISO 2375, *Data processing — Procedure for registration of escape sequences.*

*International Register of Coded Character Sets to Be Used With Escape Sequences.*

Standards for recording: This International Standard assumes the existence of a standard for recording (see 4.15).

### 4 Definitions

For the purposes of this International Standard, the following definitions apply :

**4.1 application program** : A program that processes the contents of a file, and may also process selected attribute data relating to the file or to the volume(s) on which the file is recorded.

NOTE — An application program is a specific class of user, as defined in this International Standard.

**4.2 byte** : A string of eight binary digits operated upon as a unit.

**4.3 Data Field of a sector** : A field containing the data of a sector.

**4.4 data preparer** : A person or other entity which controls the preparation of the data to be recorded on a volume group.

NOTE — A data preparer is a specific class of user as defined in this International Standard.

**4.5 descriptor** : A structure containing descriptive information about a volume or a file.

**4.6 Extent** : A set of logical blocks, the logical block numbers of which form a continuous ascending sequence.

**4.7 file** : A named collection of information.

**4.8 File Section** : That part of a file that is recorded in any one extent.

**4.9 implementation** : A set of processes which enable an information processing system to behave as an originating system, or as a receiving system, or as both types of system.

**4.10 Logical Block** : A group of $2^{n+9}$ bytes treated as a logical unit, where $n$ equals 0 or a positive integer.

**4.11 originating system** : An information processing system which can create a set of files on a volume set for the purpose of data interchange with another system.

**4.12 receiving system** : An information processing system which can read a set of files from a volume set which has been created by another system for the purpose of data interchange.

**4.13 record** : A sequence of bytes treated as a unit of information.

**4.14 sector** : The smallest addressable part of the recorded area on a CD-ROM that can be accessed independently of other addressable parts of the recorded area.

**4.15 standard for recording** : A standard that specifies the recording method and the addressing method for the information recorded on a CD-ROM.

The specifications of the standard for recording that are relevant for this International Standard are

- a unique Physical Address for each recorded sector;
- the location of the Data Field within each sector;
- the length of the Data Field within each sector.

NOTE — The standard for recording used in conjunction with this International Standard is subject to agreement between the originator and the recipient of the volumes.

**4.16 user** : A person or other entity (for example, an application program) that causes the invocation of the services provided by an implementation.

**4.17 volume** : A dismountable CD-ROM.

**4.18 Volume Set** : A collection of one or more volumes, on which a set of files is recorded.

## 5 Notation

The following notation is used in this International Standard.

### 5.1 Decimal and hexadecimal notations

Numbers in decimal notation are represented by decimal digits, namely 0 to 9.

Numbers in hexadecimal notation are represented by hexadecimal digits, namely 0 to 9 and A to F, shown in parentheses.

### 5.2 Other notation

BP : Byte position within a descriptor, starting with 1

RBP : Byte position within a descriptor field, starting with 1

ZERO : A single bit with the value 0

ONE : A single bit with the value 1

Digit(s) : Any digit from DIGIT ZERO to DIGIT NINE

SIST Preview
(https://econtrole.sist.si)
ISO 9660:1988
https://standards.iteh.ai/catalog/standards/sist/5302e5e0-e3a2-48db-8dcf-0dc1f17edb5b/iso-9660-1988

# Section two : Requirements for the medium

## 6 Volume structure

### 6.1 Arrangement of data on a CD-ROM

#### 6.1.1 Physical Addresses

Each sector shall be identified by a unique Physical Address as specified in the relevant standard for recording.

#### 6.1.2 Logical Sector

The sectors of a volume shall be organized into Logical Sectors. Each Logical Sector shall consist of a number of bytes equal to 2 048 or $2^n$, whichever is larger, where $n$ is the largest integer such that $2^n$ is less than, or equal to, the number of bytes in the Data Field of any sector recorded on the volume. The number of bytes in a Logical Sector shall be referred to as the Logical Sector size. Each Logical Sector shall begin in a different sector from any other Logical Sector, and shall begin with the first byte of the Data Field of the sector in which it begins. If the number of bytes of the Data Field of each sector recorded on the volume is less than 2 048, a Logical Sector shall comprise more than one sector, and the set of the Physical Addresses of its constituent sectors shall form a consecutive ascending sequence. The data of a Logical Sector shall be recorded in the Data Fields of its constituent sectors.

Each Logical Sector shall be identified by a unique Logical Sector Number. Logical Sector Numbers shall be integers assigned in an ascending sequence, in order of ascending Physical Addresses of the constituent sectors, starting with 0 for the Logical Sector containing the sector having the lowest Physical Address which may contain recorded information. The numbering shall continue through successive Logical Sectors, each of which begins with the sector with the next higher Physical Address than that of the last sector constituting the previous Logical Sector.

#### 6.1.3 Volume Space

The information on a volume shall be recorded in the set of all Logical Sectors on the volume. This set shall be referred to as the Volume Space of the volume.

The bytes in the Volume Space shall be numbered consecutively. The numbering shall start with 1, which shall be assigned to the first byte of the first Logical Sector of the Volume Space. The numbering shall continue through successive bytes of the first Logical Sector, and then through successive bytes of each successive Logical Sector, of the Volume Space.

### 6.2 Arrangement of the Volume Space

#### 6.2.1 System Area and Data Area

The Volume Space shall be divided into a System Area and a Data Area.

The System Area shall occupy the Logical Sectors with Logical Sector Numbers 0 to 15. The System Area shall be reserved for system use. Its content is not specified by this International Standard.

The Data Area shall occupy the remaining Logical Sectors of the Volume Space.

#### 6.2.2 Logical Block

The Volume Space shall be organized into Logical Blocks. Each Logical Block shall consist of $2^{n+9}$ bytes, where $n$ equals 0 or a positive integer. The number of bytes in a Logical Block shall be referred to as the Logical Block size which shall not be greater than the Logical Sector size.

Each Logical Block shall be identified by a unique Logical Block Number. Logical Block Numbers shall be integers assigned in ascending order starting with 0. Logical Block Number 0 shall be assigned to the Logical Block which begins with the first byte of the Volume Space. Each successive Logical Block Number shall be assigned to the Logical Block which begins with the byte in the Volume Space immediately following the last byte of the preceding Logical Block.

### 6.3 Arrangement of the Data Area

File Sections shall be recorded in the Data Area.

The following types of descriptors shall be recorded in the Data Area to describe the use of the Data Area :

- Volume Descriptors
- File Descriptors
- Directory Descriptors
- Path Tables

The Volume Descriptors shall be recorded in consecutively numbered Logical Sectors starting with the Logical Sector having Logical Sector Number 16. The Logical Sectors in the Data Area shall be available for the assignment of Volume Partitions and the recording of File Sections, File Descriptors, Directory Descriptors and Path Tables.

Each File Section shall be recorded in an Extent, and shall be identified by a descriptor in a directory. An Extended Attribute Record can be associated with the File Section. If present, it shall be recorded in the same Extent as the associated File Section, and shall be identified by the descriptor that identifies the associated File Section. Each directory shall be recorded as a file in a single Extent, and shall be identified by a Directory Descriptor either in another directory or in a Volume Descriptor. Each directory shall also be identified by a record in a Path Table. Each Path Table shall be identified in a Volume Descriptor.

iTeh Preview
(https://ecommerce.sist.si)